

Griselinia littoralis

COMMON NAME

broadleaf, kāpuka, papauma

FAMILY

Griselinaceae

AUTHORITY

Griselinia littoralis Raoul

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Trees & Shrubs - Dicotyledons

NVS CODE

GRILIT

CHROMOSOME NUMBER

2n = 36

CURRENT CONSERVATION STATUS

2017 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

BRIEF DESCRIPTION

Bushy tree with a rough dark trunk bearing thick glossy green rounded leaves that are paler underneath on a yellowish stem. Leaves 5-10cm long by 2-5cm, base slightly uneven. Flowers small, yellowish or cream. Fruit dark purple, 6-7mm long, with a small ring at tip, arranged in a spike.

WETLAND PLANT INDICATOR STATUS RATING

FACU: Facultative Upland

Occasionally is a hydrophyte but usually occurs in uplands (non-wetlands).

FLOWER COLOURS

Green, Yellow

LIFE CYCLE

Fleshy berries are dispersed by frugivory (Thorsen et al., 2009).

ETYMOLOGY

griselinia: After Grisellini

littoralis: From the Latin littus 'shore', meaning shore-loving or growing on the shore

REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 11: 285-309



Coromandel, October. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.



Coromandel, October. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/griselinia-littoralis/>