

Wanganui Plant list No. 148.
Vascular plants of Naumai Park, Hawera (August 2001; amended 30/11/01; 21/5/02)
C C Ogle
22 Forres St, Wanganui

Plant abundance is on a subjective scale from 'abundant', 'common', 'occasional', 'uncommon'; some qualified with 'local'; for some of those in very small numbers, the actual total was recorded. Where a comment is added, # indicates the point that has the comment.

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: plant-ed only | Exotic: planted & regener-ating | Exotic: self-intro-duced | Comments on location, abundance, origins etc. |
|---|---------------------|--------------------------|----------------------|-------------------------|-----------------------|---------------------------------|--------------------------|---|
| Gymnosperm trees (conifers etc.) | | | | | | | | |
| <i>Agathis australis</i> | kauri | n | l | | | | | Scattered; many in straight rows |
| * <i>Chamaecyparis</i> sp. or spp. (unidentified) | cypress | | | | 3 [#] | | | Near Gladstone St fence |
| * <i>Cryptomeria japonica</i> | Japanese cedar | | | | lc | | | Hedge between park and cemetery |
| * <i>Cupressus macrocarpa</i> | macrocarpa | | | | 1 | | | Top corner by cemetery |
| <i>Dacrycarpus dacrydioides</i> | kahikatea | y | o | u [#] | | | | Scattered seedlings in bush |
| <i>Dacrydium cupressinum</i> | rimu | y | lc | | | | | |
| <i>Libocedrus plumosa</i> | kawaka | n | 1 | | | | | Up from shelter |
| <i>Phyllocladus trichomanoides</i> | tanekaha | n | 3 | | | | | Enclosed lawn by kauri grove |
| * <i>Picea abies</i> | Norway spruce | | | | 2 | | | Top boundary near Gladstone St. |
| <i>Podocarpus totara</i> | totara | y | c | c | | | | |
| <i>Prumnopitys ferruginea</i> | miro | y | 3 | | | | | |
| <i>Prumnopitys taxifolia</i> | matai | y | 1 | | | | | Close to tanekaha, with 1 miro |
| * <i>Sequoia sempervirens</i> | Californian redwood | | | | 1 [#] | | | In heart of bush, north of lake |
| Dicotyledon trees and shrubs | | | | | | | | |
| * <i>Acer pseudoplatanus</i> | sycamore | | | | | la [#] | | 3 trees + la seedlings, mostly near adults |
| <i>Alectryon excelsus</i> | titoki | y | o | o | | | | |
| <i>Beilschmiedia tarairi</i> | taraire | n | 1 | | | | | Just below shelter |
| <i>Brachyglottis greyi</i> | | n | o | | | | | |
| <i>Brachyglottis repanda</i> | rangiora | y | o | o | | | | |
| * <i>Buddleja davidii</i> | purple buddleia | | | | 1 | | | |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|--|----------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|--|
| * <i>Callistemon citrinus</i> (?) | bottlebrush | | | | 1 | | | Gladstone St border |
| * <i>Camellia</i> cvs (unidentified) | camellia | | | | u | | | |
| <i>Carmichaelia australis</i> (<i>C. aligera</i>) | NZ broom | y | 1 | | | | | |
| <i>Clianthus puniceus</i> | kaka beak | n | 1 | | | | | Beside lower pond, north side |
| <i>Coprosma acerosa</i> X <i>C. repens</i> | | y* | 1 | | | | | Magnolia garden wall |
| <i>Coprosma chathamica</i> | Chatham karamu | n | 1 | | | | | |
| <i>Coprosma grandifolia</i> | raurekau, kanono | y | c | a | | | | |
| <i>Coprosma repens</i> | taupata | y [#] | l [#] | c | | | | On coast only, in wild; planted as hedge |
| <i>Coprosma robusta</i> | karamu | y | ? [#] | c | | | | May be self-introduced only |
| <i>Coriaria arborea</i> | tutu | y | o | ? | | | | |
| <i>Corokia buddleioides</i> | korokio | n | 1 | | | | | |
| <i>Corokia buddleioides</i> X <i>C. cotoneaster</i> | hybrid korokio | n | c [#] | c | | | | Some or all planted as hedge; some green, some bronze |
| <i>Corynocarpus laevigatus</i> | karaka | y? | o | a | | | | |
| * <i>Dendrobenthamia</i> (<i>Cornus</i>) <i>capitata</i> | dogwood | | | | | | 2 [#] | Young plants only: probably self-introduced? |
| <i>Dodonaea viscosa</i> | akeake | n? | l | o | | | | Some or all planted as hedge; some green, some bronze |
| * <i>Elaeagnus</i> X <i>reflexa</i> | elaeagnus | | | | | u | | Maybe planted as hedge? |
| <i>Elaeocarpus dentatus</i> | hinau | y | 1 | | | | | |
| <i>Elaeocarpus hookerianus</i> ? [#] | pokaka? | y | 1 | | | | | Too tall to get specimen to check ID |
| <i>Entelea arborescens</i> | whau | n | lc | ? [#] | | | | No seedlings seen but many shrubs quite slender & might have been self-established |
| * <i>Eucalyptus leucoxylo</i> 'rosea' | winter-flowering gum | | | | 1 | | | Gladstone St border |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|---|------------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|--|
| * <i>Euonymus japonicus</i> | Japanese spindle tree | | | | | c | | Some planted in High Road hedge; many seedlings in places |
| * <i>Fatsia japonica</i> | fatsia | | | | | o | | Young plants mainly near presumably planted ones |
| * <i>Feijoa sellowiana</i> | feijoa | | | | 3 | | | Above magnolia garden |
| <i>Griselinia littoralis</i> | papaumu, broadleaf | y | o | u | | | | |
| <i>Hebe</i> cv (<i>H. elliptica</i> X <i>H.</i> ?) | hebe | n | 3 | | | | | Magnolia garden |
| <i>Hebe</i> cv (<i>H. rigidula</i> X <i>H.</i> ?) [grey leaves, red stems] | hebe | n | 1 [#] | | | | | Magnolia garden |
| <i>Hebe diosmifolia</i> | hebe | n | u | | | | | |
| <i>Hebe divaricata</i> ? | hebe | n | 3 | | | | | |
| <i>Hebe franciscana</i> cv "Blue Gem" | hebe | | | | u [#] | | | Garden hybrid from UK, believed to be a NZ X Falklands Is <i>Hebe</i> |
| <i>Hebe macrocarpa</i> var. <i>latisepala</i> | hebe | n | 1 | | | | | Magnolia garden |
| <i>Hebe recurva</i> (?) [3 cm grey curved leaves] | hebe | n | 2 | | | | | |
| <i>Hebe venustula</i> | hebe | n | 1 | | | | | Magnolia garden |
| <i>Hoheria populnea</i> subsp. <i>populnea</i> | houhere, lacebark | n [#] | c? | c | | | | <i>Hoheria populnea</i> is native to S Taranaki, but a form with much narrower leaves (sometimes called <i>H. sexstylosa</i>) |
| * <i>Homalanthus populifolius</i> | Queensland poplar | | | | | 1 [#] | | Maybe planted as the native species? Many seedlings inside main gates |
| * <i>Hydrangea macrophylla</i> | | | | | o | ? | | |
| * <i>Hypericum henryi</i> ? | | | | | 3 | | | Above magnolia garden |
| * <i>Ilex aquifolium</i> | holly | | | | | | 2 [#] | Seedlings, eradicated |
| <i>Knightia excelsa</i> | rewarewa | y | o | lc | | | | |
| <i>Lophomyrtus bullata</i> X <i>L. obcordata</i> | hybrid ramarama/rohutu | ? | 1 | | | | | |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|--|----------------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|---|
| <i>Lophomyrtus obcordata</i> | rohutu | ? | 2 | | | | | |
| <i>Macropiper excelsum</i> | kawakawa | y | ?# | a | | | | May be self-introduced? |
| * <i>Magnolia grandiflora</i> | evergreen magnolia | | | | 1 | | | Near Gladstone St fence |
| * <i>Magnolia</i> spp. & cvs (unidentified deciduous plants) | magnolia | | | | lc | | | |
| * <i>Melaleuca/Callistemon</i> sp#. | ? Paperbark or bottlebrush | | | | 1 | | | Gladstone St border - shrub cut back & barely sprouting |
| <i>Melicope simplex</i> | poataniwha | n | 1 | | | | | Up from shelter |
| <i>Melicytus crassifolius</i> | | n | u | | | | | Top of wall near magnolia garden |
| <i>Melicytus ramiflorus</i> | mahoe | y | c | c | | | | |
| <i>Metrosideros excelsa</i> | pohutukawa | n | c | c | | | | |
| <i>Metrosideros umbellata</i> | southern rata | n | 1 | | | | | By tanekaha & kauri grove |
| <i>Myoporum laetum</i> | ngaio | y | 2 | | | | | |
| <i>Myrsine australis</i> | mapou, red matipo | y | o | c | | | | |
| <i>Nestegis cunninghamii</i> | black maire | y | 3 | lc | | | | |
| <i>Nothofagus fusca</i> | red beech | n | lc | | | | | |
| <i>Nothofagus menziesii</i> | silver beech | n | lc | u | | | | |
| <i>Nothofagus solandri</i> var. <i>solandri</i> | black beech | y | o | | | | | |
| <i>Olearia albida</i> | | n | 3 | | | | | |
| <i>Olearia cymbifolia</i> | | n | 1 | | | | | Magnolia garden |
| <i>Olearia furfuracea</i> | shrub daisy | n | 1 | | | | | By High/Gladstone St gate |
| <i>Olearia paniculata</i> | akiraho | n? | l | lc | | | | |
| * <i>Olearia phlogopappa</i> | Tasmanian shrub daisy | | | | 1 | | | Near High/Gladstone St gate |
| <i>Olearia solandri</i> | | y# | 2 | | | | | Mostly coastal |
| <i>Olearia X dartonii</i> | | n | 2# | | | | | Assumed native but unknown in wild - garden hybrid? |
| <i>Pittosporum crassifolium</i> | karo | n? | l | c | | | | planted as hedge |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|--|--------------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|---|
| <i>Pittosporum eugenioides</i> | tarata, lemonwood | y | c | a | | | | |
| <i>Pittosporum tenuifolium</i> var. <i>tenuifolium</i> | kohuhu, black matipo | y? | 2 | | | | | |
| <i>Pittosporum tenuifolium</i> var. <i>colensoi</i> | kohuhu, black matipo | y | 1 | | | | | |
| <i>Pomaderris apetala</i> | tainui | n | 1 | | | | | |
| * <i>Prunus serrulata</i> | flowering cherry | | | | | | 1c [#] | No adults seen but many seedlings and saplings in places in bush |
| <i>Pseudopanax arboreus</i> | five-finger | y | 1 | | | | | Up from shelter |
| <i>Pseudopanax crassifolius</i> | horoeka, lancewood | y | u | u | | | | |
| <i>Pseudopanax crassifolius</i> X <i>P. lessonii</i> | hybrid lancewood/houpara | n | ? | o | | | | |
| <i>Pseudopanax discolor</i> | | n | 1 | | | | | |
| <i>Pseudopanax edgerleyi</i> | raukawa | y | 1 [#] | | | | | Very large specimen, up from shelter |
| <i>Pseudopanax laetus</i> | | n | 1 | | | | | |
| <i>Pseudopanax lessonii</i> | houpara | n? | 1 | u [#] | | | | Maybe all hybrids with lancewood |
| * <i>Quercus ilex</i> | holm oak | | | | | 3 [#] | | 3 large trees, close together + some seedlings |
| * <i>Rhododendron</i> spp./cvs (unidentified) | rhododendron | | | | u | | | |
| * <i>Solanum mauritianum</i> | woolly nightshade | | | | | | 1c [#] | Many seedlings inside main gate (some eradicated) |
| * <i>Solanum pseudocapsicum</i> | Jerusalem cherry | | | | | | 6 [#] | 4 small ones eradicated |
| <i>Solanum</i> sp. (<i>S. aviculare</i> &/or <i>S. laciniatum</i>) | poroporo | y | ? [#] | o | | | | Probably self-introduced |
| <i>Sophora longicarinata</i> | Nelson kowhai | n | 1 [#] | | | | | Young tree above magnolia garden |
| <i>Sophora microphylla</i> | kowhai | n [#] | o | o | | | | S. Taranaki kowhai are all <i>S. godleyi</i> (Heenan et al. 2001) |
| <i>Sophora microphylla</i> X <i>S. tetraptera</i> | hybrid kowhai | n | u | | | | | |
| <i>Sophora tetraptera</i> | large-leaved kowhai | n | u | | | | | |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|----------------------------------|-------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|---|
| <i>*Teline monspessulana</i> | | | | | | ?# lc | ? | Maybe self-introduced |
| <i>*Ulmus</i> sp. (unidentified) | elm | | | | 1# | | | Near Gladstone St fence |
| <i>Vitex lucens</i> | puriri | n | o | o | | | | |
| <i>Weinmannia racemosa</i> | kamahi | y | 2 | | | | | |

Monocotyledon 'woody' plants

| | | | | | | | | |
|-----------------------------|------------------------|---|---|---|--|----|--|--|
| <i>Cordyline australis</i> | ti kouka, cabbage tree | y | o | c | | | | |
| <i>*Phyllostachys aurea</i> | yellow bamboo | | | | | l | | |
| <i>*Pseudosasa japonica</i> | bamboo | | | | | la | | |

Dicotyledon lianes (vines)

| | | | | | | | | |
|--------------------------------|-------------------|---|---|---|--|--|----|--|
| (*#) <i>Calystegia</i> sp. | convolvulus | | | | | | | Died down; some very similar native & exotic forms |
| <i>*Clematis vitalba</i> | old man's beard | | | | | | 1 | Near south entrance |
| <i>*Hedera helix</i> | garden ivy | | | | | | lc | Near Gladstone St fence & elsewhere |
| <i>Metrosideros fulgens</i> | scarlet rata vine | y | 2 | | | | | |
| <i>Muehlenbeckia australis</i> | pohuehue | y | | 2 | | | | |
| <i>*Rubus fruticosus</i> agg. | blackberry | | | | | | u | Near south entrance + 1 seedling in bush |
| <i>*Vinca minor</i> | periwinkle | | | | | | lc | |

Monocotyledon lianes (vines)

| | | | | | | | | |
|----------------------------|--------------------|---|----|--|--|--|---|---|
| <i>*Asparagus scandens</i> | climbing asparagus | | | | | | 2 | Seedlings, eradicated |
| <i>Ripogonum scandens</i> | supplejack | y | 1# | | | | | Only 1 m tall; might be self-introduced |

Dicotyledon herbaceous plants

| | | | | | | | | |
|------------------------------|-----------------------|--|--|--|--|----|----|-----------------------------|
| <i>*Acanthus mollis</i> | bear's breeches | | | | | o# | | Regeneration locally common |
| <i>*Aphanes</i> sp. | parsley piet | | | | | | o | Lawns |
| <i>*Bellis perennis</i> | lawn daisy | | | | | | lc | Lawns |
| <i>*Cardamine hirsuta</i> | bittercress | | | | | | c | Lawns & gardens |
| <i>*Cerastium glomeratum</i> | mouse-eared chickweed | | | | | | u | |
| <i>*Cirsium vulgare</i> | Scotch thistle | | | | | | o | |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|----------------------------------|------------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|---|
| * <i>Conyza albida</i> | fleabane | | | | | | o | |
| <i>Cotula australis</i> | annual button daisy | y | | o* | | | | Lawns & paths |
| <i>Dichondra brevifolia</i> agg. | | y | | o | | | | Lawn edges |
| * <i>Duchesnea indica</i> | Indian strawberry | | | | | | l | Few in garden by shelter |
| * <i>Euphorbia peplus</i> | milkweed | | | | | | o | |
| * <i>Fumaria muralis</i> | fumitory | | | | | | o | |
| * <i>Galium aparine</i> | cleavers | | | | | | u | |
| * <i>Geranium molle</i> | softy cranesbill | | | | | | o | Lawns |
| * <i>Gunnera tinctoria</i> | Chilean rhubarb | | | | | u [#] | | Planted by pool; seedlings at south entrance |
| <i>Haloragis erecta</i> | | y | | u | | | | |
| <i>Hydrocotyle heteromeria</i> | wax-weed | y | | la* | | | | Lawns |
| <i>Hydrocotyle moschata</i> | hairy pennywort | y | | o | | | | Lawn edges |
| * <i>Hypochoeris radicata</i> | cat's ear | | | | | | lc [#] | Lawns |
| * <i>Myosotis sylvestris</i> | forget-me-not | | | | | ? [#] | | Maybe self-introduced |
| * <i>Nymphaea alba</i> | waterlily | | | | | la | | |
| * <i>Oxalis incarnata</i> | lilac oxalis | | | | | | a | |
| * <i>Pericallis X hybrida</i> | cineraria | | | | | ? | u [#] | Maybe persisting from earlier plantings |
| * <i>Plantago lanceolata</i> | narrow-leaved plantain | | | | | | o [#] | Lawns |
| * <i>Polygonum salicifolium</i> | NZ willow-weed | y | | c | | | | In lakes |
| * <i>Prunella vulgaris</i> | selfheal | | | | | | lc [#] | Lawns, banks |
| * <i>Raphanus raphanistrum</i> | wild radish | | | | | | lc | |
| * <i>Ranunculus repens</i> | creeping buttercup | | | | | | o | |
| * <i>Sagina procumbens</i> | pearlwort | | | | | | u | Rock walls |
| * <i>Senecio vulgaris</i> | groundsel | | | | | | u | |
| * <i>Solanum nigrum</i> | black nightshade | | | | | | o | |
| * <i>Sonchus oleraceus</i> | puwaha, sow-thistle | | | | | | o | |
| * <i>Stachys sylvatica</i> | woundwort | | | | | | lc | Near south entrance |
| * <i>Stellaria media</i> | chickweed | | | | | | lc | Near south entrance |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|---------------------------|----------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|---|
| * <i>Trifolium repens</i> | white clover | | | | | | la [#] | Lawns |
| * <i>Veronica persica</i> | scrambling speedwell | | | | | | u | |
| * <i>Viola riviniana</i> | dog violet | | | | u? | | | |

Monocotyledon herbaceous plants

| | | | | | | | | |
|-------------------------------------|-------------------|---|-----------------|----------------|----|--|----|--|
| * <i>Agapanthus orientalis</i> | agapanthus | | | | lc | | | |
| * <i>Allium triquetrum</i> | 3-cornered garlic | | | | | | la | |
| <i>Anemanthele lessoniana</i> | wind grass | n | 1 | | | | | |
| <i>Arthropodium cirratum</i> | renga lily | n | lc | | | | | |
| * <i>Arum italicum</i> | Italian arum | | | | | | lc | |
| <i>Astelia chathamica</i> | 'silver spear' | n | 2 | | | | | |
| <i>Astelia fragrans</i> | | y | 2 | | | | | |
| * <i>Bromus lithobius</i> | | | | | | | 1 | |
| * <i>Bromus willdenowii</i> | prairie grass | | | | | | l | |
| <i>Carex comans</i> ? [#] | | n | | 2 | | | | Likely ID; only seedlings seen, on dry banks |
| <i>Carex forsteri</i> | | y | ? [#] | o [#] | | | | Prob. self-introduced but maybe planted - dry banks |
| <i>Carex secta</i> | purei | y | u [#] | lc | | | | Presumed to have been planted on pond edge originally - amount unknown, now common |
| <i>Carex solandri</i> | | y | | u [#] | | | | Damp shaded banks |
| <i>Carex virgata</i> | purei? | y | u? [#] | o | | | | Prob. planted but maybe self-introduced - pond edges |
| * <i>Cortaderia selloana</i> | pampas grass | | | | | | 1 | Bank between the 2 ponds |
| <i>Cortaderia toetoe</i> | toetoe | y | u | ? | | | | |
| * <i>Crocasmia X crocosmiiflora</i> | montbretia | | | | | | lc | |
| * <i>Cyperus congestus</i> | | | | | | | 2 | Outside south entrance gate |
| * <i>Cyperus eragrostis</i> | | | | | | | l | |
| * <i>Cyperus involucreatus</i> | | | | | 1 | | | Large clump in lower pond |
| <i>Cyperus ustulatus</i> | mariscus | y | 2 | | | | | Prob. planted but maybe self-introduced - lower pond edge |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|--|--------------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|---|
| * <i>Dactylis glomerata</i> | cocksfoot | | | | | | o | |
| * <i>Ehrharta erecta</i> | veld grass | | | | | | lc | Patch near High/Gladstone entrance |
| <i>Eleocharis acuta</i> | sharp spike sedge | y | 1? | | | | | 1 patch in lower pond near outlet (maybe self-introduced) |
| * <i>Holcus lanatus</i> | Yorkshire fog | | | | | | o | |
| * <i>Iris foetidissima</i> | stinking iris | | | | | | o | |
| * <i>Juncus articulatus</i> | jointed-leaved rush | | | | | | u | Damp bank near pool bridge |
| <i>Libertia grandiflora</i> or <i>L. ixioides</i> [#] | native iris | y | 1 | | | | | Needs flowers or fruit for positive ID; 1 patch near shelter |
| * <i>Lolium perenne</i> | perennial rye grass | | | | | | la | Lawns |
| <i>Microlaena stipoides</i> | meadow rice-grass | y | | 1 | | | | |
| <i>Phormium cookianum</i> | wharariki, mountain flax | n | u | | | | | |
| <i>Phormium tenax</i> | harakeke, NZ flax | y | o [#] | u | | | | Including coloured & variegated cultivars |
| <i>Poa anceps</i> | | y | | 1 | | | | |
| * <i>Poa annua</i> | annual poa | | | | | | o | |
| * <i>Schoenoplectus californicus</i> | giant Californian sedge | | | | 2 | | | 2 large plants near pond outlet |
| * <i>Scilla non-scripta</i> | bluebell | | | | | o | | |
| * <i>Tradescantia fluminensis</i> | wandering Jew | | | | | | lc | |
| <i>Uncinia banksii</i> [#] | hook grass | y | | 1 [#] | | | | Only a young plant; needs seed head for positive ID; on dry bank in shade |
| Ferns and fern allies | | | | | | | | |
| <i>Asplenium bulbiferum</i> s.s. | hen-&-chicken fern | y | 1 [#] | | | | | Maybe self-introduced |
| <i>Asplenium flaccidum</i> | hanging spleenwort | y | | o | | | | |
| <i>Asplenium gracillimum</i> | | y | | 1 [#] | | | | Maybe planted but prob. self-established |
| <i>Asplenium oblongifolium</i> | shining spleenwort | y | ? [#] | u [#] | | | | Maybe some planted, but now self-establishing |
| <i>Blechnum chambersii</i> | nini; lance fern | y | | o | | | | |
| <i>Blechnum fluviatile</i> | kiwakiwa; creek fern | y | | 1 | | | | On tree-fern wall below shelter - maybe planted? |
| <i>Blechnum</i> | | y | | u [#] | | | | On damp bank with <i>B. chambersii</i> |

| Species | Common name | Native to district (Y/N) | Native NZ: Plantings | Native NZ: Regeneration | Exotic: planted only | Exotic: planted & regenerating | Exotic: self-introduced | Comments on location, abundance, origins etc. |
|---|---------------------|--------------------------|----------------------|-------------------------|----------------------|--------------------------------|-------------------------|---|
| <i>membranaceum</i> | | | | | | | | |
| <i>Blechnum minus</i> (of NZ authors) | swamp kiokio | y | | u | | | | |
| <i>Blechnum montanum</i> (or hybrid with <i>B. montanum</i>) | mountain kiokio | y | ? 1 [#] | | | | | On bank among kiokio, but unlikely to be self-introduced. |
| <i>Blechnum novae-zelandiae</i> | kiokio | y | ? [#] | c | | | | All self-established? |
| <i>Blechnum penna-marina</i> | | y | | lc | | | | Lawn by shelter |
| <i>Cyathea dealbata</i> | ponga | y | o | o | | | | |
| <i>Cyathea medullaris</i> | mamaku | y | c | c | | | | |
| <i>Dicksonia fibrosa</i> | wheki-ponga | y | 1 | | | | | By <i>Libocedrus</i> tree |
| <i>Dicksonia squarrosa</i> | wheki | y | c [#] | c [#] | | | | Maybe some planted, but now self-establishing |
| <i>Marattia salicina</i> | king fern | ?n | 1 | | | | | |
| <i>Microsorium pustulatum</i> | hound's tongue fern | y | ? | c [#] | | | | All self-established? |
| * <i>Nephrolepis cordifolia</i> | tuber ladder fern | | | | | la | | |
| <i>Pneumatossorus pennigera</i> | piupiu; gully fern | y | | o | | | | |
| * <i>Pteris cretica</i> | Cretan brake | | | | | | 2 | Maybe planted? By shelter on rock wall; by north side of lower pool |
| <i>Pteris macilenta</i> | sweet fern | y | | o | | | | |
| <i>Pteris tremula</i> | shaking brake | y | | o | | | | |
| <i>Pyrosia eleagnifolia</i> | leatherleaf fern | y | | lc | | | | On scattered trees |
| * <i>Selaginella kraussiana</i> | African clubmoss | | | | | ? la | | Invasive in gardens, paths |